


X SERIES 19 INSERT RING

SPECIFICATIONS

SKU: BR-IN19RD



INTEGRATE YOUR X SERIES FIRE PIT INTO A STONE SURROUND

UNIT:

Material:

304 Stainless Steel

Weight: 11 lbs.

DIMENSIONS:

Inside Diameter of Rim: 21.75 in.

Outside Diameter of Rim: 29.5 in.

Rim Width: 3.8 in.

COMPATIBILITY:

X Series 19 Fire Pit

Block Width: 22-26 in.

Block Depth: 15 in. minimum



[BREEO.COM](https://www.breeco.com)


©2024 Breeco LLC. All rights reserved. 08/24



X SERIES 24 INSERT RING

SPECIFICATIONS

SKU: BR-IN24RD



INTEGRATE YOUR X SERIES FIRE PIT INTO A STONE SURROUND

UNIT:

Material:

304 Stainless Steel

Weight: 13 lbs.

DIMENSIONS:

Inside Diameter of Rim: 26.89 in.

Outside Diameter of Rim: 35 in.

Rim Width: 4 in.

COMPATIBILITY:

X Series 24 Fire Pit

Block Width: 27-33 in.

Block Depth: 15 in. minimum



BREEO.COM


©2024 Breoo LLC. All rights reserved. 08/24



X SERIES 30 INSERT RING

SPECIFICATIONS

SKU: BR-IN30RD



INTEGRATE YOUR X SERIES FIRE PIT INTO A STONE SURROUND

UNIT:

Material:

304 Stainless Steel

Weight: 23 lbs.

DIMENSIONS:

Inside Diameter of Rim: 33.89 in.

Outside Diameter of Rim: 41 in.

Rim Width: 3.5 in.

COMPATIBILITY:

X Series 30 Fire Pit

Block Width: 34-39 in.

Block Depth: 15 in. minimum



[BREEO.COM](https://www.breco.com)

©2024 Breco LLC. All rights reserved. 08/24

